

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	34	exchange same data same layer same compression same decompression	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 17:17
S2	0	S1 and network adj level and application adj level	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 17:23
S3	1063	network adj level and application adj level	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 17:23
S4	134	S3 and compression and decompression	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 17:25
S5	13	exchange adj data adj layer\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 17:26
S6	0	S5 and application adj layer and network adj layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 17:29
S7	3911	data and exchange and application adj layer and network adj layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 17:36
S8	327	S7 and compression and decompression	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 17:37
S9	296	S8 and header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/20 17:37

S10	1366	header same compression same de \$1compression	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 14:53
S11	235	S10 and additional adj information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 14:54
S12	17	S11 and stream\$1 and transmission and packet \$ and original adj data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 14:55
S13	221	transmission same network adj level same application level same original adj data same additional adj information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 16:03
S14	9	S13 and compression and decompression	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 16:04
S15	1	quantized adj additional adj information same function same protocol adj stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 17:09
S16	32	additional adj information same function same protocol adj stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 17:09
S17	221	transmission same network adj level same application level same original adj data same additional adj information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/21 17:36
S18	0	header adj compression same original adj data same increment\$1 same additional adj data same network adj stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 08:12
S19	1828	header adj compression	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 08:12

S20	0	S19 same original adj data same increment same additional adj data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 08:13
S21	8	S19 same original adj data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 08:13
S22	0	S19 same increment\$ same additional adj data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 08:15
S23	6	S19 same additional adj data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 08:16
S24	69	S19 and 370/474.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 09:01
S25	77	S19 and 370/477.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 09:01
S26	16	S25 and additional adj information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 09:03
S27	298	S19 and stream and protocol adj stack and packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 09:35
S28	94	S27 and coded	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 09:35
S29	1	additional adj information same protocol adj stack same shaping	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 09:45

S30	111	additional adj information same protocol adj stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 09:46
S31	1	S30 and source adj coding	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 09:46
S32	7	characteristics adj protocol adj stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 09:59
S33	18377	protocol adj stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 10:01
S34	3590010	S33 and additional information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 10:01
S35	3072	S33 and compression	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 10:02
S36	53	network adj stack with layer with transmission	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 14:02
S37	0	data adj excahnge same network adj stack same layer same transmission	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 14:07
S38	0	data adj excahnge same network adj stack same layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 14:07
S39	0	data adj excahnge with network adj stack with layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 14:07

S40	1	data adj excahnge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 14:07
S41	39930	data adj exchange	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 14:08
S42	136	S41 and network adj stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 14:08
S43	15	S42 and layer and compression	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 14:09
S44	17	data adj exchange same two adj layer\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 14:20
S45	40	data adj exchange same network adj layer \$1 same application adj layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 14:20
S46	3	network adj stack same header adj compression same layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 14:46
S47	1834	header adj compression	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 14:46
S48	1	reconstructed adj packet and additional adj information adj packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 14:49
S49	1834	header adj compression	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 14:50

S50	30	S49 same packet\$1 same additional adj information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 14:51
S51	27	S49 same reconstructed same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 14:56
S52	87	S49 and two adj packet \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 15:00
S53	30	header adj compression same packet\$1 same additional adj information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 15:01
S54	0	data adj excahnge same network adj layer same application adj layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 15:09
S55	451	network adj level same application adj level	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 15:10
S56	18	S55 and header adj compression	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 15:11
S57	0	S49 same original adj data same increment adj additional adj data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 15:19
S58	0	S49 and original adj data and increment adj additional adj data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 15:19
S59	33	S49 and original adj data and additional adj data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 15:20

S60	1	header adj compression same generat\$5 same packet same additional adj information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 15:28
S61	238	header adj compression and generat\$5 and packet and additional adj information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 15:28
S62	35	streams same original adj data same additional adj information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 16:05
S63	111	compress\$3 with header with quantiz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 16:18
S64	2	S63 and layer and stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 16:19
S65	34	S63 and layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 16:19
S66	77	S47 and 370/477.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/23 18:08
S67	0	stack same compress\$4 same decompress\$4 same header same quatiz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 06:58
S68	0	stack same compress\$4 same decompress\$4 same header same quatiz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 06:58
S69	414	stack and compress\$4 and decompress\$4 and header and quantiz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 06:59

S70	1	stack same compress\$4 same decompress\$4 same header same quantiz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 06:59
S71	361	S69 and layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 07:00
S72	212	S71 and coder and decoder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 07:00
S73	196	S72 and packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 07:01
S74	196	S73 and application	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 07:02
S75	165	S73 and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 07:02
S76	0	exchange with network adj level with application adj level same network adj stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/24 07:42
S77	111	compress\$3 with header with quantiz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 07:54
S78	1	S77 and network adj stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 07:54
S79	2145	network adj stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 07:55



S80	18	S79 and header adj compression	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 07:55
S81	5	es61 and network and application	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/08 14:43
S82	256	header adj compression and generat\$5 and packet and additional adj information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/08 14:43
S83	246	S82 and network and application	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/08 14:43
S84	18	network adj header adj compression	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/08 14:46
S85	2	S84 and quantiz\$\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/08 14:52
S86	2	S84 and quantiz\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/08 14:53
S87	3	S84 and stream\$1 and additional adj data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/08 14:59
S88	1	header with compress \$3 with decompress\$3 with network with application with stack with quantiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 15:32
S89	1	header same compress \$3 same decompress\$3 same network same application same stack with quantiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 15:33

S90	1	header same compress\$3 same decompress\$3 same network same application same stack same quantiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 15:33
S91	582	header and compress\$3 and decompress\$3 and network and application and stack and quantiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 15:34
S92	13	header with compress\$3 with decompress\$3 and network and application and stack and quantiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 15:34
S93	3	header with compress\$3 with decompress\$3 and network adj layer and application adj layer and stack and quantiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 15:48
S94	4804	network adj layer with application layer with stream\$1 with additional adj data with decompress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 15:59
S95	4805	network adj layer with application layer with stream\$1 with additional adj data with decompress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:00
S96	0	decompres\$3 with streams with network adj layer with quantiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:01
S97	0	decompres\$3 with streams with network adj layer with additional adj data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:01
S98	0	decompres\$3 same streams same network adj layer same additional adj data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:02
S99	0	decompres\$3 same streams same network adj layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:02

S100	0	header same decompress\$3 same streams same network adj layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:02
S101	0	header same decompress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:03
S102	1320	header with compress \$3 with decompress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:03
S103	0	S102 and network adj layer with additional adj data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:04
S104	10	S102 and network adj layer and additional adj data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:04
S105	11	S102 and network adj layer and quantiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:08
S106	52	header same compress \$3 same decompress\$3 same network adj layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:13
S107	0	stream\$1 with (network adj layer network adj access adj level)with header with compress\$3 with decompress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:32
S108	2	stream\$1 with (network adj layer network adj access adj level)with header with compress\$3 with decompress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:32
S109	7	stream\$1 same (network adj layer network adj access adj level)same header same compress\$3 same decompress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/09 16:33

S110	0	SRI with DRI with compress\$3 same decompress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 06:53
S111	0	SRI same DRI same compress\$3 same decompress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 06:53
S112	69	(application adj layer application adj level) with header with compression	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 07:01
S113	0	(application adj layer application adj level) with (network adj layer network adj access adj level)with header with compress\$3 with decompress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 07:15
S114	7	(application adj layer application adj level) same (network adj layer network adj access adj level)same header same compress \$3 same decompress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 07:16
S115	1	differentiat\$3 same decoder same packet same (application adj layer)same stream\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 07:27
S116	89	(application adj layer) same stream\$1 same cod\$3 same decod\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 07:28
S117	11	(application adj layer) same stream\$1 same cod\$3 same decod\$3 same compress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 07:31
S118	33	(application adj layer) same (network adj layer) same compress \$3 same decompress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 07:34

S119	252	header adj compress\$3 with stream\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 07:45
S120	17	header adj compress\$3 with stream\$1 with layer\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 07:45
S121	0	additional adj information adj packet \$1 same compress\$3 same decompress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 08:11
S122	116	information adj packet \$1 same compress\$3 same decompress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 08:11
S123	38	information adj packet \$1 with compress\$3 with decompress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/11 08:11
S124	0	(DRI or decode adj reliabilit\$3 adj (info or information\$1) or SAI or source adj2 (posteriori or a \$1posteriori) adj (info or information\$1)) and (soft\$1decode\$4 or soft adj decode\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/23 13:24
S125	0	(DRI or decode adj reliabilit\$3 adj (info or information\$1) or SAI or source adj2 (posteriori or a \$1posteriori) adj (info or information\$1)) and (soft\$1decode\$4 or soft adj decode\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/23 13:25
S126	3	(DRI or decode adj reliabilit\$3 adj (info or information\$1) or SAI or source adj2 (posteriori or a \$1posteriori) adj (info or information\$1)) and (soft\$1decod\$4 or soft adj decod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/23 13:27

S127	15	source adj2 (coder or decoder\$1) same (CSI or channel adj state adj (info or information\$1) or SSI or source adj significant adj (info or information\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/23 13:29
S128	3	"20020037000"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/23 13:35
S129	1770	network and application and header adj compress\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/23 13:51
S130	148	network and application and header adj compress\$3 and additional adj data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/23 13:51
S131	12	S127 and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/23 15:02
S132	2	S127 and protocol adj stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/23 15:22

**3/ 23/ 2009 4:34:28 PM**

**C:\ Documents and Settings\ manwar\ My Documents\ EAST\ Workspaces\ 10563447.wsp**